

High Tensile Steel

X denotes a stock line item
S denotes a special line item

METRIC CYLINDER STOCK SIZES

Dia.	Peeled	P & P C/D	C/less Ground	Hexagon	Black As Rolled	Black H & T	Square
8	S	S	S	S	S	S	S
10	S	X	S	S	S	S	S
12	X	X	S	S	S	S	S
12.7	S	X	X	S	S	S	S
14	S	X	S	S	S	S	S
14.29	S	S	X	S	S	S	S
15.88	S	X	X	S	S	S	S
16	S	X	X	S	X	X	S
17.46	S	S	S	S	S	S	S
18	S	X	S	S	S	S	S
19	S	X	S	S	X	S	S
19.05	S	X	X	X	S	S	S
20	X	X	X	S	S	X	S
20.83	S	S	S	S	S	S	S
21.7	S	S	S	S	S	X	S
22	X	S	S	S	X	X	S
22.23	S	X	X	X	S	S	S
23.81	S	S	S	X	S	S	S
24	X	S	S	S	X	X	S
25	X	X	X	S	X	S	S
25.4	S	X	X	X	S	S	S
26	X	S	S	S	S	S	S
27	X	S	S	X	X	X	S
28	X	S	S	S	S	S	S
28.58	S	S	X	X	S	S	S
29	S	S	S	S	S	X	S
30	X	X	X	S	X	X	S
31.5	X	S	S	S	S	S	S
31.75	S	X	X	X	S	S	S
32	X	S	X	S	S	S	X
33	X	S	S	S	X	X	S
33.5	S	S	S	S	S	S	S
34.5	X	S	S	S	S	S	S
34.93	S	S	X	X	S	S	S
35	S	X	X	S	X	S	S
36	X	S	S	X	X	X	S
38	X	S	S	S	X	S	S
38.1	X	X	X	X	S	S	S
39	X	S	S	S	X	X	S
40	X	X	X	S	S	S	S
41.28	S	S	X	S	S	S	S
42	X	S	S	S	X	X	S
42.42	S	S	S	X	S	S	S
44.45	S	X	X	S	S	S	S
45	X	X	X	S	X	X	S
46	S	S	S	X	S	S	S
47.5	X	S	S	S	S	S	S
47.63	S	S	X	S	S	S	S
48	S	S	S	S	X	X	S
50	X	X	X	S	S	X	S
50.8	S	X	X	X	S	S	S
51.5	S	S	S	S	S	S	S
52	X	S	S	S	X	S	S
53.5	S	S	S	S	S	S	S
53.98	S	S	X	S	S	S	S
54	X	S	S	S	S	S	S
55	S	S	S	X	S	S	S

High Tensile Steel

X denotes a stock line item
S denotes a special line item

METRIC CYLINDER STOCK SIZES

Dia.	Peeled	P & P C/D	C/less Ground	Hexagon	Black As Rolled	Black H & T	Square
47.63	S	S	X	S	S	S	S
48	S	S	S	S	X	X	S
50	X	X	X	S	S	X	S
50.8	S	X	X	X	S	S	S
51.5	S	S	S	S	S	S	S
52	X	S	S	S	X	S	S
53.5	S	S	S	S	S	S	S
53.98	S	S	X	S	S	S	S
54	X	S	S	S	S	S	S
55	S	S	S	X	S	S	S
55.5	S	S	S	S	S	S	S
56	X	S	S	S	S	X	S
57.15	S	X	X	S	S	S	S
58	X	S	S	S	S	S	S
60	X	X	X	S	X	X	S
63	X	S	S	S	S	S	S
63.5	S	X	X	S	S	S	S
65	X	X	X	X	S	X	S
66	X	S	S	S	S	S	S
68	X	S	S	S	S	S	S
69.85	S	S	X	S	S	S	S
70	X	X	X	S	X	X	S
71	S	S	S	S	S	S	S
72	X	S	S	S	S	S	S
75	X	X	X	S	S	X	S
76	S	S	S	S	S	S	S
76.2	S	X	X	S	S	S	S
78	X	S	S	S	S	S	S
80	X	X	X	S	X	X	S
82	X	S	S	S	S	S	S
82.55	S	S	X	S	S	S	S
85	X	X	X	S	S	X	S
87	X	S	S	S	S	S	S
88.9	S	X	X	S	S	S	S
90	X	X	X	S	X	X	S
92	X	S	S	S	S	S	S
94	S	S	S	S	S	S	S
95	X	S	S	S	S	X	S
95.25	S	S	X	S	S	S	S
97	S	S	S	S	S	S	S
98	X	S	S	S	S	S	S
100	X	X	X	S	X	X	S
101.6	S	X	X	S	S	S	S
102	X	S	S	S	S	S	S
105	S	S	S	S	S	X	S
106	X	S	S	S	S	S	S
110	X	X	X	S	S	X	S
114.3	S	X	X	S	S	S	S
115	S	S	S	S	S	X	S
116	X	S	S	S	S	S	S
120	X	S	X	S	S	X	S
121.5	S	S	S	S	S	S	S
123.8	S	S	S	S	S	S	S
125	X	S	S	S	S	X	S
127	X	S	S	S	S	S	S
130	X	S	S	S	S	X	S
135	S	S	S	S	S	X	S

High Tensile Steel

X denotes a stock line item
S denotes a special line item

METRIC CYLINDER STOCK SIZES

Dia.	Peeled	P & P C/D	C/less Ground	Hexagon	Black As Rolled	Black H & T	Square
114.3	S	X	X	S	S	S	S
115	S	S	S	S	S	X	S
116	X	S	S	S	S	S	S
120	X	S	X	S	S	X	S
121.5	S	S	S	S	S	S	S
123.8	S	S	S	S	S	S	S
125	X	S	S	S	S	X	S
127	X	S	S	S	S	S	S
130	X	S	S	S	S	X	S
135	S	S	S	S	S	X	S
136	X	S	S	S	S	S	S
140	X	S	S	S	S	X	S
145	S	S	S	S	S	X	S
146	X	S	S	S	S	S	S
150	X	S	S	S	S	X	S
152	X	S	S	S	S	S	S
155	X	S	S	S	S	S	S
160	S	S	S	S	S	X	S
162	X	S	S	S	S	S	S
165	X	S	S	S	S	X	S
170	S	S	S	S	S	X	S
175	X	S	S	S	S	S	S
180	X	S	S	S	S	X	S
185	X	S	S	S	S	S	S
190	X	S	S	S	S	X	S
195	X	S	S	S	S	S	S
200	S	S	S	S	S	X	S
205	X	S	S	S	S	X	S
210	X	S	S	S	S	X	S
220	X	S	S	S	S	X	S
230	X	S	S	S	S	X	S
240	S	S	S	S	S	X	S
245	X	S	S	S	S	X	S
250	X	S	S	S	S	X	S
255	X	S	S	S	S	S	S
260	S	S	S	S	S	X	S
270	S	S	S	S	S	X	S
275	S	S	S	S	S	X	S
280	S	S	S	S	S	X	S
285	S	S	S	S	S	X	S
290	X	S	S	S	S	X	S
295	S	S	S	S	S	S	S
300	S	S	S	S	S	X	S
310	X	S	S	S	S	X	S
320	S	S	S	S	S	X	S
325	S	S	S	S	S	S	S
330	S	S	S	S	S	X	S
335	S	S	S	S	S	S	S
340	S	S	S	S	S	X	S
350	S	S	S	S	S	X	S
360	X	S	S	S	S	X	S
375	S	S	S	S	S	X	S
380	S	S	S	S	S	X	S
385	S	S	S	S	S	X	S
390	S	S	S	S	S	X	S
400	S	S	S	S	S	X	S
410	S	S	S	S	S	X	S

High Tensile Steel

X denotes a stock line item
 S denotes a special line item

METRIC CYLINDER STOCK SIZES

Dia.	Peeled	P & P C/D	C/less Ground	Hexagon	Black As Rolled	Black H & T	Square
335	S	S	S	S	S	S	S
340	S	S	S	S	S	X	S
350	S	S	S	S	S	X	S
360	X	S	S	S	S	X	S
375	S	S	S	S	S	X	S
380	S	S	S	S	S	X	S
385	S	S	S	S	S	X	S
390	S	S	S	S	S	X	S
400	S	S	S	S	S	X	S
410	S	S	S	S	S	X	S
420	S	S	S	S	S	S	S
425	S	S	S	S	S	X	S
430	S	S	S	S	S	S	S
440	S	S	S	S	S	X	S
450	S	S	S	S	S	X	S
460	S	S	S	S	S	X	S
465	X	S	S	S	S	S	S
475	S	S	S	S	S	X	S
485	S	S	S	S	S	X	S
490	S	S	S	S	S	X	S
500	S	S	S	S	S	X	S
515	S	S	S	S	S	X	S
520	S	S	S	S	S	S	S
525	S	S	S	S	S	X	S
540	S	S	S	S	S	X	S
560	S	S	S	S	S	X	S
585	S	S	S	S	S	X	S
610	S	S	S	S	S	X	S
660	S	S	S	S	S	X	S
690	S	S	S	S	S	X	S

High Tensile Steel

X denotes a stock line item
S denotes a special line item

4340 STOCK SIZES

Dia.	Peeled	Black H&T
40	S	X
45	S	S
50	X	S
55	S	S
65	S	X
70	S	X
75	S	X
80	S	X
82	X	S
85	S	X
90		X
95	S	X
100	S	X
102	X	S
106	X	S
110	S	X
115	S	X
120	S	X
130	S	X
136	S	S
140	S	X
150	S	X
152	S	S
155	S	S
160	S	X
162	X	S
170	X	S
180	S	X
185	S	S
190	S	X
200	S	X
205	S	S
210	S	X
220	S	X
230	S	X
240	S	X
245	S	S
250	S	X
260	S	X
280	S	S
285	S	X
310	S	X
330	S	X
340	S	X
350	S	S
360	S	S
365	S	X
400	S	S
410	S	X
420	S	S
460	S	S
465	S	X
500	S	S

Dia.	Peeled	Black H&T
400	S	S
410	S	X
420	S	S
460	S	S
465	S	X
500	S	S

EN26 STOCK SIZES

Dia.	Peeled	P&P, C/D	Black H&T Rounds
24			
26	X		
28			
28.5			
30	X		
33	X		
35			
36	X		
38.1			
39	X		
42	X		
44.45			
45	X		
50	X		
52	X		
55.5	X		
60	X		
63.6	X		
66	X		
70			
72	X		
75	X		
76.3			
78	X		
82	X		
87	X		
92	X		
98	X		
102	X		
106	X		
110	X		
116	X		
120	X		
125			
127	X		
130	X		
135			
136	X		
140			
146	X		
152	X		
162	X		
170	X		
175	X		

High Tensile Steel

X denotes a stock line item
 S denotes a special line item

EN26 STOCK SIZES

Dia.	Peeled	P&P, C/D	Black H&T Rounds
135			
136	X		
140			
146	X		
152	X		
162	X		
170	X		
175	X		
185	X		
190			
195	X		X
205	X		X
210	X		X
220			X
230			X
245			X
260			X
270	X		X
285			X
290			
300			
310	X		X
320			X
330			
335			X
360	X		X
370			
385	X		
410			X
450			